CONTENTS

PAGE

EDITORIAL

Training for what? 1

ORIGINAL

Effect of radiant heating on pulmonary diffusing capacity in man 2

By H. H. Rotman, M.D., J. M. K. Spalding, M.A., D.M., M.R.C.P., and A. C. Smith, M.A., M.B., Ch.B., F.F.A.R.C.S., D.A., Department of Neurology, United Oxford Hospitals, and Nuffield Department of Anaesthetics, University of Oxford.

Inspired gas, rebreathing and apparatus deadspace 5

By J. F. Nunn, Ph.D., M.B., Ch.B., F.F.A.R.C.S., and H. C. Newman, M.B., B.S., F.F.A.R.C.S., Research Department of Anaesthetics, Royal College of Surgeons, London.

Cerebral blood flow during trichloroethylene anaesthesia: a comparison with halothane 11

By D. G. McDowall, M.B., Ch.B., F.F.A.R.C.S., A. M. Harper, M.B., Ch.B., and I. Jacobson, B.Sc., M.B., F.R.C.S.E., The University Department of Anaesthetics, Royal Infirmary, Glasgow, and the University Departments of Surgery, Royal Infirmary and Western Infirmary, Glasgow, Scotland.

Neuromuscular blocking and hypotensive actions of streptomycin, and their reversal 19

By K. Pandey, D.A., S. Kumar, M.D., Ph.D., and R. P. Badola, F.F.A.R.C.S., D.A., Departments of Anaesthesiology and Physiology, King George's Medical College, Lucknow, India.

CLINICAL

Effects of methoxyflurane (Penthrane) anaesthesia in children 26

By Gerald W. Black, M.D., F.F.A.R.C.S., and James L. Rea, M.B., D.A., The Royal Belfast Hospital for Sick Children, and Department of Anaesthetics, The Queen's University of Belfast, Northern Ireland.

PAGE

Observations on dental anaesthesia introduced with methohexitone. I: Induction of anaesthesia 31

By Douglas S. Young, M.B., D.A., F.F.A.R.C.S., and J. G. Whitwam, M.B., M.R.C.P., F.F.A.R.C.S., The General Infirmary at Leeds, the Leeds Dental Hospital, and the Regional Thoracic Surgical Centre, Killingbeck Hospital, Leeds, England.

Clinical studies of induction agents. VIII: A comparison of the effects of atropine and hyoscine on the course and sequelae of thiopentone anaesthesia 39

By John W. Dundee, M.D., Ph.D., F.F.A.R.C.S., F.F.A.R.C.S.I., C. A. G. Armstrong, M.B., F.F.A.R.C.S., F.F.A.R.C.S.I., and J. P. Alexander, M.B., M.R.C.P.I., F.F.A.R.C.S., F.F.A.R.C.S.I., Department of Anaesthetics, The Queen's University of Belfast, Musgrave Park Hospital, Balmoral; Mid-Ulster Hospital, Magherafelt; and South Tyrone Hospital, Dungannon, Northern Ireland.

Heptabarbitone as a pre-operative sedative 46

By Walter Norris, M.D., F.F.A.R.C.S., and H. I. A. Nisbet, M.B., Ch.B., F.F.A.R.C.S., D.A., University Department of Anaesthetics, The Royal Infirmary, Glasgow, Scotland.

CASE REPORT

Oedema and cyanosis of the hand following injections into a vein on the dorsum of the hand... 50

By John L. Webster, M.B., Ch.B., F.F.A.R.C.S., D.Obst.R.C.O.G., Department of Anaesthetics, The Royal Infirmary, Sheffield, England.

APPARATUS

The use of ethylene oxide for sterilization of mechanical ventilators 53

By C. Bishop, M.B., B.S., F.F.A.R.C.S., D.A., D. S. Robertson, M.B., B.S., F.F.A.R.C.S., D.A., and S. R. Williams, M.B., B.S., Department of Anaesthetics, Guy's Hospital, London.

PAGE

A hidden fault in cuffed tubes 58

By Len E. S. Carrie, M.B., Ch.B., F.F.A.R.C.S., D.A., The Nuffield Department of Anaesthetics, The Radcliffe Infirmary, Oxford.

A robust reliable throat spray 61

By N. M. Cass, M.B., B.S., D.A.(Melb.), F.F.A.R.C.S., F.F.A.R.A.C.S., and I. A. Waldie, M.A.(Edin.), M.B., Ch.B.(Edin.), F.F.A.R.C.S., The Peter MacCallum Clinic, Melbourne, Australia.

A movable operating table top for tonsillectomy 62

By Massey Dawkins, M.A., M.D., F.F.A.R.C.S., University College Hospital, London.

EDITORIAL

A new journal 67

ORIGINAL

The effect of atropine on pulmonary gas exchange 68

By J. F. Nunn, Ph.D., F.F.A.R.C.S., and N. A. Bergman, M.D., with the technical co-operation of Miss D. C. Casselle, Research Department of Anaesthetics, Royal College of Surgeons, London

Effect of atropine on pulmonary diffusing capacity in man 74

By H. H. Rotman, M.D., Respiration Unit, Department of Neurology, United Oxford Hospitals, Oxford.

CLINICAL

Hypothermia for neurosurgery (with particular reference to profound hypothermia and cerebral arterial inflow occlusion) 77

By V. Campkin, M.B., F.F.A.R.C.S., D.A., and W. Townley McNeil, M.B., F.F.A.R.C.S., The Midland Centre for Neurosurgery and the United Birmingham Hospitals, England

Experimental study of arrhythmias and bronchospasm associated with the use of hexafluorenium 83

By J. W. Mostert, F.F.A.R.C.S., D.A., Department of Anaesthesia, Johannesburg Hospital, and H. Kundig, lately Department of Physiology, University of Witwatersrand, Johannesburg, Republic of South Africa.

PAGE

Observations on dental anaesthesia introduced with methohexitone. II: Maintenance and recovery 94

By D. S. Young, M.B., D.A., F.F.A.R.C.S., and J. G. Whitwam, M.R.C.P., F.F.A.R.C.S., The General Infirmary at Leeds, the Leeds Dental Hospital, and the Regional Thoracic Surgical Centre, Killingbeck Hospital, Leeds, England.

Clinical studies of induction agents. IX: A comparative study of a new eugenol derivative, FBA.1420, with G.29.505 and standard barbiturates... 100

By J. W. Dundee, M.D., Ph.D., F.F.A.R.C.S., and R. S. J. Clarke, M.D., B.Sc., F.F.A.R.C.S., Department of Anaesthetics, The Queen's University of Belfast, and Musgrave Park Hospital, Balmoral, Northern Ireland.

Clinical studies of induction agents. X: The effect of phenothiazine premedication on thiopentone anaesthesia ... 106

By J. W. Dundee, M.D., Ph.D., F.F.A.R.C.S., R. M. Nicholl, M.B., F.F.A.R.C.S., and J. Moore, M.D., F.F.A.R.C.S., Department of Anaesthetics, The Queen's University of Belfast, Northern Ireland.

Anaesthetic mortality in tonsillectomy and adenoidectomy 110

By D. Denison Davies, F.F.A.R.C.S., Institute of Laryngology and Otology, University of London.

REVIEW

Ayre's T-piece: a review of its modifications 115

By G. A. Harrison, M.B., F.F.A.R.A.C.S., Department of Anaesthetics, Welsh National School of Medicine, Cardiff, Wales.

EDITORIAL

Rational approach to inhalation anaesthesia 123

SYMPOSIUM ON PHARMACOKINETICS OF INHALATION ANAESTHETIC AGENTS

The pharmacokinetics of inhalation anaesthetics: clinical applications ... 124

By E. M. Papper, M.D., Department of Anesthesiology, Columbia University, and Anesthesiology Service, The Presbyterian Hospital, New York City, U.S.A.

PAGE

Mathematical aspects of the uptake, distribution and elimination of inhaled gases and vapours 129
By W. W. Mapleson, Ph.D., A.Inst.P., Department of Anaesthetics, Welsh National School of Medicine, Cardiff.

Anaesthetic solubility in blood and tissues: values and significance ... 140
By Edmond I. Eger (II), M.D., and C. Philip Larson, jr., M.D., Department of Anesthesia, University of California Medical Center, San Francisco, California, and the United States Naval Hospital, Oakland, California, U.S.A.

Protein and lipid binding of volatile anaesthetic agents 150
By R. M. Featherstone, B.A., M.S., Ph.D., LL.D., and B. P. Schoenborn, B.A., Ph.D., Department of Pharmacology, University of California, San Francisco Medical Center, San Francisco, California, U.S.A.

Respiratory and circulatory factors in uptake and distribution of volatile anaesthetic agents 155
By Edmond I. Eger (II), M.D., Department of Anesthesia, University of California, San Francisco Medical Center, San Francisco, California, U.S.A.

Uptake and excretion of nitrous oxide: a prototype of inert gas exchange ... 172
By Robert M. Epstein, M.D., Department of Anesthesiology, Columbia University, College of Physicians and Surgeons, New York, U.S.A.

Uptake and elimination of inhalation anaesthetics during outpatient anaesthesia 180
By W. D. A. Smith, O.B.E., M.B., B.S., F.F.A.R.C.S., Research Department of Anaesthetics, Royal College of Surgeons of England, London.

Pharmacokinetics of halothane and ether 193
By R. A. Butler, Ph.D., M.B., Ch.B., F.F.A.R.C.S., D.A., Department of Anesthesia, University of Pennsylvania School of Medicine, 3400 Spruce Street, Philadelphia, Penn., U.S.A.

MEDICAL ELECTRONICS

Some thoughts on the teaching of instrumentation techniques and electronics in medicine 200
By D. W. Hill, M.Sc., Ph.D., F.Inst.P., A.M.I.E.E., Research Department of Anaesthetics, Royal College of Surgeons of England, London.

PAGE

EDITORIAL

Treatment of shock 205

ORIGINAL

The effect of the respiratory flow pattern on rebreathing in a T-piece system 206
By G. A. Harrison, M.B., F.F.A.R.A.C.S., Department of Anaesthetics, Welsh National School of Medicine, Cardiff, Wales.

Comparative haemodynamics during operation, unreplaced blood loss, and anaesthesia with ether or halothane in nitrous oxide and oxygen 212
By Gerald F. Tuohy, M.D., and Richard A. Theye, M.D., Section of Anesthesiology, Mayo Clinic and Mayo Foundation, Rochester, Minnesota, U.S.A.

The analeptic effects of doxapram hydrochloride on thiopentone induced depression 216
By Ephraim S. Siker, M.D., Kamil Mustafa, M.D., and Bernard Wolfson, M.B., Ch.B., F.F.A.R.C.S., Department of Anesthesiology, Mercy Hospital, Pittsburgh, Pennsylvania, U.S.A.

Beta-adrenergic blockade with pronethalol during anaesthesia 224
By Michael Johnstone, M.D., F.F.A.R.C.S., Department of Anaesthetics, The Royal Infirmary, Manchester, England.

CLINICAL

Orotracheal anaesthesia for bronchoscopy 233
By J. B. Borman, M.B., F.R.C.S., J. T. Davidson, F.F.A.R.C.S., and S. Samueloff, M.D., Departments of Thoracic Surgery and Anaesthesia, Hadassah University Hospital, and Department of Physiology, Hebrew University, Haddassah Medical School, Jerusalem, Israel.

Observations on dental anaesthesia introduced with methohexitone. III: Blood pressure changes 237
By J. G. Whitwam, M.B., M.R.C.P., F.F.A.R.C.S., and D. S. Young, M.B., D.A., F.F.A.R.C.S., The General Infirmary at Leeds, the Leeds Dental Hospital, and the Regional Thoracic Surgical Centre, Killingbeck Hospital Leeds, England.

PAGE

Re-anaesthetizing cases of tonsillectomy and adenoidectomy because of persistent postoperative haemorrhage ... 244
By D. Denison Davies, M.R.C.S., L.R.C.P., F.F.A.R.C.S., Institute of Laryngology and Otology, University of London.

CASE REPORTS

Halothane and phaeochromocytoma ... 251
By W. N. Rollason, M.B.(Birm.), M.R.C.S., D.A., F.F.A.R.C.S., Department of Anaesthetics, The Royal Infirmary and University of Aberdeen, Scotland.

Anaesthesia for mitral valvotomy complicated by hypotension due to pericardial effusion 256
By B. R. P. Murray, M.B., F.F.A.R.C.S., and D. S. Robertson, M.B., F.F.A.R.C.S., Department of Anaesthetics, Guy's Hospital, London.

APPARATUS

A device for mechanical ventilation suitable for newborn and infants during anaesthesia 259
By N. H. Doctor, M.B., B.S., D.A., F.F.A.R.C.S., Department of Anaesthetics, University College Hospital, Ibadan, Nigeria.

EDITORIAL

Teaching of general anaesthesia for dental surgery 267

ORIGINAL

Effect of white sound on pain threshold 268
By W. M. O. Moore, M.R.C.O.G., J. C. McClure Browne, M.B., B.Sc., F.R.C.S.E., F.R.C.O.G., and I. D. Hill, B.Sc., Institute of Obstetrics and Gynaecology, Hammersmith Hospital, London, and Statistical Research Unit, Medical Research Council, London.

The influence of carbon dioxide on the neuromuscular block caused by tubocurarine chloride in the human subject 272
By Anis Baraka, M.D.(Cairo), Department of Anaesthesia, University of Liverpool, England.

Evaluation of muscular relaxation in controlled respiration 279
By V. A. Kovanev, Cand. Med., and Ya. M. Khmelevsky, Institute of Cardiovascular Surgery, Moscow, U.S.S.R.

PAGE

Tubocurarine administration based upon its disappearance and accumulation curves in anaesthetized man ... 287
By A. R. Ryan, B.Sc., M.D., F.F.A.R.C.S., The Lister Hospital, Hitchin, Hertfordshire, England.

CLINICAL

An introduction to FBA.1420: a new non-barbiturate intravenous anaesthetic 295
By T. H. Howells, M.B., F.F.A.R.C.S., J. R. Odell, M.B., F.F.A.R.C.S., T. J. Hawkins, M.B., and P. A. Steane, M.B., M.R.C.S., Department of Anaesthesia, The Royal Free Hospital, London.

Bronchopleural fistula management during anaesthesia 302
By J. S. Khurana, M.B., B.S., D.A., and V. N. Sharma, M.B., B.S., D.A., Silver Jubilee Tuberculosis Hospital, Delhi, India.

Clinical studies of induction agents. XI: The influence of some intravenous anaesthetics on the respiratory effects and sequelae of suxamethonium ... 307
By R. S. J. Clarke, M.D., B.Sc., F.F.A.R.C.S., J. W. Dundee, M.D., Ph.D., F.F.A.R.C.S., and R. H. Daw, B.Sc., F.I.A., Department of Anaesthetics, The Queen's University of Belfast, Northern Ireland.

CASE REPORTS

Respiratory obstruction due to impaction of the epiglottis in an adult ... 314
By J. G. K. Thomas, M.B., Ch.B., D.A., Department of Anaesthesia, University of Liverpool, England.

Difficult endotracheal extubation... ... 316
By J. T. Davidson, L.R.C.P., D.A., F.F.A.R.C.S., and E. Edelestein, M.D., Department of Anaesthesia, Rothschild Hadassah University Hospital, Jerusalem, Israel.

APPARATUS

A universal valve for anaesthetic circuits 318
By Shaotsu Lee, M.D., Division of Anaesthesiology, West Virginia University Medical Center, Morgantown, West Virginia, U.S.A.

EDITORIAL

Presenting and labelling of drugs: important safety measures 325

PAGE

ORIGINAL

Factors influencing the arterial oxygen tension during halothane anaesthesia with spontaneous respiration 327
By J. F. Nunn, Ph.D., M.B., Ch.B., F.F.A.R.C.S., Medical Research Council External Staff, Hammersmith Hospital, London.

Quality of epidural blockade. I: Influence of physical factors 342
By P. R. Bromage, M.B., B.S., F.F.A.R.C.S., M. F. Burfoot, B.M., B.Ch., D.A., D. E. Crowell, F.R.C.P.(C), and R. T. Pettigrew, M.B., Ch.B., F.F.A.R.C.S., Department of Anaesthesia, Royal Victoria Hospital, Montreal, Canada.

CLINICAL

Clinical assessment of analgesic drugs: (4) Intravenous trial 353
By A. H. B. Masson, M.B., Ch.B., F.F.A.R.C.S., Department of Anaesthetics, Royal Infirmary, Edinburgh, Scotland.

Factors affecting the termination of curarization in the human subject ... 356
By G. H. Bush, D.M., F.F.A.R.C.S., and A. Baraka, M.D.(Cairo), Department of Anaesthesia, University of Liverpool, England.

RESEARCH METHODS

The measurement of uptake of nitrous oxide by pneumotachography. I: Apparatus, methods and accuracy ... 363
By W. D. A. Smith, O.B.E., M.B., B.S., F.F.A.R.C.S., Research Department of Anaesthetics, Royal College of Surgeons of England, London.

CASE REPORT

An unusual complication after stellate ganglion block 379
By F. Magora, M.D., Department of Anaesthetics, Hadassah University Hospital, Jerusalem, Israel.

EDITORIAL

The end of an era 385

"Scientific" versus "clinical" articles ... 385

ORIGINAL

Histological findings following intrathecal injections of phenol solutions for relief of pain 387
By Marion C. Smith, B.Sc., M.D., Member of the External Staff, Medical Research Council, National Hospital, Queen Square, London.

PAGE

Electrical sleep in dogs 407
By Florella Magora, M.D., A. Beller, M.D., and L. Aladjemoff, M.D. (with the technical assistance of J. Tannenbaum), Departments of Anaesthetics and Neurosurgery, Hadassah Hebrew University Hospital, Jerusalem, Israel.

CLINICAL

The role of artificial hyperventilation in the control of brain tension during neurosurgical operations 415
By M. Bozza Marrubini, M. Rossanda and L. Tretola, Neurosurgical Clinic, Milan University, and Neurosurgical Division, Benfratelli Hospital, Palermo, Italy.

An anaesthetic technique for adenotonsillectomy in children 432
By H. P. L. Ozorio, M.B., B.S., F.F.A.R.C.S., and Merton Cohen, M.B., Ch.B., St. Helens Hospital, St. Helens, Lancashire, England.

GENERAL INTEREST

Anaesthetic problems of intestinal obstruction in adults 438
By John H. Stevens, M.B., F.F.A.R.C.S., D.A., Department of Anaesthetics, Welsh National School of Medicine, Cardiff, Wales.

CASE REPORTS

Open heart surgery in a diabetic 451
By J. C. Richardson, M.B., Ch.B., F.F.A.R.C.S., and J. H. Wright, M.B., Ch.B., F.F.A.R.C.S., Regional Cardiac Centre, Liverpool, England.

Pneumothorax in the neonate: a presentation of two cases 456
By William Bargh, M.B., Ch.B., F.F.A.R.C.S., D.A., Department of Anaesthetics, Western Infirmary, Glasgow, Scotland.

EDITORIAL

Cross-infection during anaesthesia ... 465

ORIGINAL

Diallyl toxiferine 466
By A. R. Hunter, M.D., F.R.C.S.(Glas.), F.F.A.R.C.S., Department of Anaesthesia, Royal Infirmary, Manchester, England.

The disinfection of anaesthetic apparatus 471
By B. C. Stratford, M.D., R. R. Clark, F.F.A.R.A.C.S., and Shirley Dixson, A.A.I.M.L.T., St. Vincent's Hospital, Melbourne, Australia.

PAGE

The influence of injected thiopentone on muscle tissue 477
By J. T. Davidson, L.R.C.P.&S., D.A., F.F.A.R.C.S., M. I. Sachs, M.B., Ch.B., M.Med.(Path.), and J. B. Borman, M.B., F.R.C.S., Departments of Anaesthesia, Pathology, and Thoracic Surgery, Hadassah University Hospital, Jerusalem, Israel.

Acid-base balance during epidural analgesia 480
By Donald D. Moir, M.B., Ch.B., F.F.A.R.C.S., D.Obst.R.C.O.G., and James G. Mone, M.B., Ch.B., F.F.A.R.C.S., Department of Anaesthetics, Western Infirmary, Glasgow, Scotland.

CLINICAL

A clinical trial of a mixture of levorphanol and levallorphan as an oral analgesic 486
By John W. Dundee, M.D., Ph.D., F.F.A.R.C.S., Department of Anaesthetics, The Queen's University of Belfast, Northern Ireland.

Methoxyflurane: a clinical study of fifty selected cases 494
By R. Bryan Roberts, M.B., B.S., F.F.A.R.C.S., and John F. Cam, M.B., B.S., F.F.A.R.C.S., Department of Anaesthetics, King's College Hospital, London.

The use of suxamethonium infusion in anaesthesia for adenotonsillectomy ... 501
By G. Elfving, M.D., Docent. Gen. Surg., T. Tammisto, M.D. and P. Tiitinen, M.D., Hyvinkää Municipal Hospital, Finland.

GENERAL INTEREST

Hazards of endotracheal anaesthesia ... 504
By R. N. Lewis, M.B., Ch.B., F.F.A.R.C.S., and Mark Swerdlow, M.Sc., M.D., F.F.A.R.C.S., Department of Anaesthesia, Salford Royal Hospital, Lancashire, England.

CASE REPORTS

Suspected drug sensitivity reaction ... 516
By J. G. Francis, M.B., B.S., F.F.A.R.C.S., D.A., D.Obst.R.C.O.G., and M. S. B. Vaile, M.B., B.S., Department of Anaesthetics, St. Thomas's Hospital, London.

"Put not your trust in tubes": cerebral irritation following respiratory obstruction 519
By Margaret M. Clark, M.B., Ch.B., D.A., The General Hospital, Burton-on-Trent, Staffordshire, England.

PAGE

APPARATUS

The advantages of a combined T-piece and non-rebreathing valve: a simple device 521
By Shaotsu Lee, M.D., West Virginia University Medical Center, Morgantown, West Virginia, U.S.A.

An endo-oesophageal stethoscope ... 524
By D. W. J. Cullingford, M.B., B.S., F.F.A.R.C.S., East Birmingham Hospital Thoracic Unit, Birmingham, England.

PROCEEDINGS OF THE ANAESTHETIC RESEARCH GROUP (June 27) 527

EDITORIAL 535

SYMPOSIUM ON THE TREATMENT OF RESPIRATORY FAILURE

The physiology and pathology of acute hypoxia 536
By J. G. Robson, M.B., Ch.B.(Glas.), F.F.A.R.C.S., Postgraduate Medical School, London.

The immediate treatment of respiratory failure 542
By Dr. Henning Ruben, Department of Anaesthesia, Finsen Institute, Copenhagen, Denmark.

The differential diagnosis of conditions leading to acute cardiac arrest outside the operating theatre 550
By J. P. Shillingford, M.D., F.R.C.P., Postgraduate Medical School, London.

The physiopathology and treatment of drowning 557
By E. A. Pask, O.B.E., M.D., M.B., B.Chir., F.F.A.R.C.S., Department of Anaesthetics, Royal Infirmary, Newcastle upon Tyne, England.

Hyperbaric oxygen in relation to circulatory and respiratory emergencies ... 563
By D. Gordon McDowall, F.F.A.R.C.S., University Department of Anaesthetics, Royal Infirmary, Glasgow, Scotland.

The nature and management of electric shock 572
By W. R. Lee, M.D.(Lond.), D.I.H., Nuffield Department of Occupational Health, University of Manchester, England.

PAGE

The use of hypothermia and dehydration in the treatment of severe cerebral hypoxia 581

By H. R. S. Harley, M.S., F.R.C.S., Sully Hospital, Penarth, Glamorgan, Wales.

Neonatal resuscitation 591

By M. E. Tunstall, M.B., B.S., F.F.A.R.C.S., Department of Anaesthetics, Royal Infirmary, Aberdeen, Scotland.

EDITORIAL

The World Congress—Saõ Paulo, 1964 603

ORIGINAL

A clinical trial of hayatin methiodide as relaxant in 100 cases 604

By S. N. Pradhan, M.B., B.S., D.T.M., Ph.D., K. Pandey, M.B., B.S., D.A., and R. P. Badola, D.A., F.F.A.R.C.S., Central Drug Research Institute and Department of Anaesthesiology, King George's Medical College, Lucknow, India.

CLINICAL

The protective effect of thiopentone against muscular pain and stiffness which follows the use of suxamethonium chloride 612

By H. J. L. Craig, M.B., B.Ch., F.F.A.R.C.S., Lurgan and Portadown Hospital, Lurgan, Northern Ireland.

410 Dental anaesthetics. Part I: Introduction, methods, material and anaesthetic techniques 620

By W. D. A. Smith, O.B.E., M.B., B.S., F.F.A.R.C.S., Research Department of Anaesthetics, Royal College of Surgeons of England, London.

410 Dental anaesthetics. Part II: The patients' reactions to anaesthesia and surgery 633

By W. D. A. Smith, O.B.E., M.B., B.S., F.F.A.R.C.S., Research Department of Anaesthetics, Royal College of Surgeons of England, London.

Studies of drugs given before anaesthesia. IV: Atropine and hyoscine ... 648

By R. S. J. Clarke, M.D., B.Sc., F.F.A.R.C.S., J. W. Dundee, M.D., Ph.D., F.F.A.R.C.S., and J. Moore, M.D., F.F.A.R.C.S., Department of Anaesthetics, The Queen's University of Belfast, Northern Ireland.

PAGE

A study of the biphasic ventilatory effects of propanidid 655

By Eva Harnik, F.F.A.R.C.S., Department of Anaesthesia, Royal Free Hospital, London.

Changes in pulse rate and blood pressure after extubation 661

By B. R. Hutchinson, M.B., Ch.B., Palmerston North Hospital, New Zealand.

APPARATUS

Evaluation of the Servomex paramagnetic analyzer 666

By J. F. Nunn, Ph.D., M.B., Ch.B., F.F.A.R.C.S., N. A. Bergman, M.D., A. J. Coleman, M.B., B.S., F.F.A.R.C.S., and D. C. Casselle, A.M.I.L.T., Royal College of Surgeons of England, London.

A non-return valve for use with intermittent positive pressure respiration during paediatric surgery 674

By D. Zuck, M.B., Ch.B., F.F.A.R.C.S., D.A., Department of Anaesthesia, Chase Farm Hospital, Enfield, and the Enfield Group of Hospitals, England.

Two new operating table head screens... 675

By Barbara C. Roberts, B.Sc., M.B., B.Ch., F.F.A.R.C.S., Department of Anaesthetics, Welsh National School of Medicine, Cardiff, Wales.

EDITORIAL

The Medical Assistant grade 677

ORIGINAL

Investigation of respiratory and circulatory effects of ethamivan in the dog and cat 678

By J. R. Campbell, Ph.D., B.V.M.S., M.R.C.V.S., D. D. Lawson, M.R.C.V.S., and J. Sanford, Ph.D., B.V.Sc., M.R.C.V.S., Veterinary Hospital, University of Glasgow, Glasgow, Scotland.

Some observations of critical closing pressures in the peripheral circulation of anaesthetized patients 683

By A. M. C. Jennings, M.A., M.B., B.Chir., F.F.A.R.C.S., The London Hospital, London.

Relationship between rate of elimination of tubocurarine and rate of decline of its pharmacological activity 694

By G. Levy, Pharm.D., School of Pharmacy, State University of New York, Buffalo, N.Y., U.S.A.

PAGE

Pneumotachography during dental anaesthesia 696
By W. D. A. Smith, O.B.E., M.B., B.S., F.F.A.R.C.S., Research Department of Anaesthetics, Royal College of Surgeons, London.

CLINICAL

Studies of drugs given before anaesthesia. V: Pethidine 100 mg alone and with atropine or hyoscine 703
By J. W. Dundee, M.D., Ph.D., F.F.A.R.C.S., J. Moore, M.D., F.F.A.R.C.S., and R. S. J. Clarke, M.D., B.Sc., F.F.A.R.C.S., Department of Anaesthetics, The Queen's University of Belfast, Northern Ireland.

Assisted ventilation in the post-bypass period 711
By W. R. MacRae, M.B., Ch.B., F.F.A.R.C.S., and A. H. B. Masson, M.B., Ch.B., F.F.A.R.C.S., Department of Anaesthetics, Edinburgh University and Royal Infirmary, Edinburgh.

REVIEW

Liver injury in the surgical patient: a critical review 718
By M. Johnstone, M.D., F.F.A.R.C.S., Department of Anaesthetics, The Royal Infirmary, Manchester, England.

CASE REPORTS

Myoglobinuria with acute renal failure possibly induced by suxamethonium 730
By Kn-Å. Bennike, M.D., D.A., and S. Jarnum, M.D., Department of Anaesthetics, Medical Department B, Surgical Department A, and Department of Clinical Biochemistry, Bispebjerg Hospital, Copenhagen, Denmark.

Methaemoglobinaemia following the use of prilocaine ("Citanest") 737
By D. J. Daly, M.B., B.S., J. Davenport, M.R.C.P.E., F.F.A.R.A.C.S., and M. C. Newland, F.F.A.R.A.C.S., D.A.(Melb.), Department of Anaesthesia, The Queen Victoria Maternity Hospital, Adelaide, South Australia.

APPARATUS

A new method for providing continuous extradural analgesia 740
By R. H. Salt, F.I.B.S.T., and J. W. Lloyd, F.F.A.R.C.S., Nuffield Department of Anaesthetics, Oxford.

PROCEEDINGS OF THE ANAESTHETIC RESEARCH GROUP (November 20) ... 742

PAGE

EDITORIAL

Standard terminology 749

ORIGINAL

Neurophysiological studies on nitrous oxide and diethyl ether anaesthesia ... 750
By S. Kato, M.D., H. Yamamura, M.D., Department of Anesthesiology, School of Medicine, University of Tokyo, and H. Kawamura, M.D., Department of Neurophysiology, Brain Research Institute, University of Tokyo, Japan.

Relaxant action in man of dipyrandium chloride (M & B 9105A). (A steroid bis-quaternary ammonium salt) ... 761
By W. W. Mushin, F.F.A.R.C.S., and W. W. Mapleson, Ph.D.,F.Inst.P., Department of Anaesthetics, Welsh National School of Medicine, Cardiff, Wales.

The measurement of uptake of nitrous oxide by pneumotachography. Part II: Experimental procedure and results 769
By W. D. A. Smith, O.B.E., M.B., B.S., D.A., F.F.A.R.C.S., and R. A. Butler, Ph.D., M.B., B.S., F.F.A.R.C.S., Research Department of Anaesthetics, The Royal College of Surgeons of England, London.

CLINICAL

A comparison of morphine and phenazocine in postoperative pain 782
By M. Swerdlow, M.D., M.Sc., F.F.A.R.C.S., D.A., G. Starmer, B.Sc., and R. H. Daw, B.Sc., F.I.A., Department of Anaesthesia, Salford Group of Hospitals, Manchester, England.

Clinical experiences with diallyl-nortoxiferine in children 787
By G. H. Bush, M.A., D.M., F.F.A.R.C.S., D.A., Department of Anaesthesia, Alder Hey Children's Hospital, Liverpool, England.

Carbon dioxide acidosis during open heart surgery 793
By W. R. MacRae, M.B., Ch.B., F.F.A.R.C.S., A. H. B. Masson, M.B., Ch.B., F.F.A.R.C.S., J. A. Owen, B.Sc., M.D., B.S., Ph.D., M.C.P.A., M.C.Path., and D. G. Campbell, B.Sc., M.B., Ch.B., M.R.A.C.P., University Department of Anaesthetics and University Department of Clinical Chemistry, Royal Infirmary, Edinburgh, Scotland.

PAGE

Alterations in response to somatic pain associated with anaesthesia. XVI: Methohexitone 798
By J. W. Dundee, M.D., Ph.D., F.F.A.R.C.S., Department of Anaesthetics, The Queen's University of Belfast, Northern Ireland.

REVIEW

Acute intermittent porphyria: the anaesthetic problem and its background ... 801
By P. C. Murphy, M.B., Ch.B., F.F.A.R.C.S., Department of Anaesthesia, Royal Free Hospital, London.

PAGE

CASE REPORT

Halothane and blood transfusion for phaeochromocytoma 813
By M. Murphy, M.D., F.R.C.P.(I), F.F.A.R.C.S.(I), F. N. Prior, M.B., B.S., F.F.A.R.C.S., D.A., and S. Joseph, M.B., B.S., D.A.(Punjab), Department of Anaesthesia, Christian Medical College, Ludhiana, Punjab, India.

APPARATUS

A modified Tuohy needle 816
By D. B. Scott, Department of Anaesthesia, Royal Infirmary, Edinburgh.

EDITORIAL EXECUTIVE COMMITTEE

Editor of General Issues

*J. E. RIDING, *Demonstrator in the Department of Anaesthesia, University of Liverpool*

Editor of Postgraduate Educational Issues

*A. R. HUNTER, *Consultant Anaesthetist, Manchester Royal Infirmary*

Consultant Editors

*M. H. ARMSTRONG DAVISON, *Consultant Anaesthetist, The United Newcastle upon Tyne Teaching Hospitals*

*J. W. DUNDEE, *Professor of Anaesthesia, Queen's University of Belfast, Northern Ireland*

*T. CECIL GRAY, *Professor of Anaesthesia, University of Liverpool*

*R. A. MILLAR, *Consultant Anaesthetist, The United Cambridge Hospitals*

*W. W. MUSHIN, *Professor of Anaesthetics, Welsh National School of Medicine, Wales*

*J. F. NUNN, *Professor of Anaesthesia, University of Leeds*

J. P. PAYNE, *British Oxygen Research Professor of Anaesthetics, Royal College of Surgeons of England*

J. G. ROBSON, *Professor of Anaesthetics, University of London, Postgraduate Medical School*

*A. CRAMPTON SMITH, *Nuffield Department of Anaesthetics; Consultant Anaesthetist, Respiration Unit, Churchill Hospital, Oxford*

Honorary Treasurer

A. R. HUNTER, *Consultant Anaesthetist, Manchester Royal Infirmary*

*In addition to those individuals on the EDITORIAL EXECUTIVE COMMITTEE whose names are marked with an asterisk, the following are members of the BOARD OF MANAGEMENT AND PROPRIETORS:

E. FALKNER HILL (Chairman), *Late Senior Anaesthetist, Manchester Royal Infirmary*

R. C. LAWRENCE, *Consultant Anaesthetist, United Leeds Hospitals*

T. J. C. MACDONALD, *Consultant Anaesthetist, Aberdeen Royal Infirmary*

A. G. MILLER, *Consultant Anaesthetist, Western Infirmary, Glasgow*

R. J. MINNITT, *Late Senior Honorary Anaesthetist, Royal Liverpool United Hospitals*

H. H. PINKERTON, *Joint Lecturer in Anaesthetics, University of Glasgow, Scotland*

H. Q. O. WHEELER, *Consultant Anaesthetist, Department of Neurological Surgery, General Hospital, Sunderland*

W. D. WYLIE, *Consultant Anaesthetist, St. Thomas's Hospital, London*

Papers for publication and all editorial communications should be addressed to either of the Editors at 48–50 Bedford Street North, Liverpool, 7. Business communications should be addressed to the publishers: JOHN SHERRATT AND SON, Park Road, Altrincham, Cheshire. Published monthly. Annual subscriptions (post free):

Inland £3 15*s*.; Overseas £4 4*s*.; United States and South Americas $12.00

© John Sherratt and Son, 1964